



Safety Environmental Laboratories and Consulting, Inc.

989 Yeager Parkway
Pelham, AL 35124

Phone: (205) 823-6200
Fax: (205) 823-9066

March 16, 2021

University of North Alabama
1660 Tune Avenue
Florence, AL 35630

Re: Laboratory Results

Project Name: LaGrange Hall
Project Location: LaGrange Hall
SEL Project No.: 2021-0536

To Whom It May Concern:

This letter is to notify you that your samples submitted for analysis on March 15, 2021 were sent to Environmental Hazards Services, LLC for analysis.

Environmental Hazards Services, LLC is a laboratory with ELLAP accreditation through AIHA-LAP, LLC (100420) to provide reliable analysis. This will not affect the pricing that you are accustomed to receiving here at Safety Environmental Laboratories and Consulting, Inc.

Please let us know if you have any questions or require additional information.

Thank you,

Carol Findlay
Laboratory Director



Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Lead Paint Chip Analysis Report

Report Number: 21-03-03183

Client: SELC
P.O. Box 1116
Madison, AL 35758

Received Date: 03/16/2021
Analyzed Date: 03/16/2021
Reported Date: 03/16/2021

Project/Test Address: 21-0536; LaGrange Hall
Collection Date: 03/10/2021

Client Number:
201258

Fax Number:

Laboratory Results

Lab Sample Number	Client Sample Number	Collection Location	Pb (ug/g) ppm	% Pb by Wt.	Narrative ID
21-03-03183-001	1	BOB BERRY LAGRANGE HALL BATHROOM PAINT LEAD	330	0.033	
21-03-03183-002	2	BOB BERRY LAGRANGE HALL BATHROOM PAINT LEAD	880	0.088	

Environmental Hazards Services, L.L.C

Client Number: 201258

Report Number: 21-03-03183

Project/Test Address: 21-0536; LaGrange Hall

Lab Sample Number	Client Sample Number	Collection Location	Pb (ug/g) ppm	% Pb by Wt.	Narrative ID
----------------------	-------------------------	---------------------	------------------	----------------	-----------------

Preparation Method: ASTM E-1979-17

Analysis Method: EPA SW846 7000B

Reviewed By Authorized Signatory:

Melissa Kanode

Missy Kanode

QA/QC Clerk

The HUD lead guidelines for lead paint chips are 0.50% by Weight, 5000 ppm, or 1.0 mg/cm². The Reporting Limit (RL) for samples prepared by ASTM E-1979-17 is 10.0 ug Total Pb. The RL for samples prepared by EPA SW846 3050B is 25.0 ug Total Pb. Paint chip area and results are calculated based on area measurements determined by the client. All internal quality control requirements associated with this batch were met, unless otherwise noted.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Sample location, description, area, etc., was provided by the client. Results reported above in mg/cm³ are calculated based on area supplied by client. This report shall not be reproduced except in full, without the written consent of the Environmental Hazards Service, L.L.C.

ELLAP Accreditation through AIHA-LAP, LLC (100420), NY ELAP #11714.

LEGEND	Pb= lead	ug = microgram	ppm = parts per million
	ug/g = micrograms per gram	Wt. = weight	

